

# SCV Figure Number Chart

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Valve Type	Bore Size	Class	Body/Bonnet Conf.	Body Material	Obturator Material	Ends	Operator	Bore Type	Seal Material	Seat Base Metal	Seat Insert/Overlay Material	Stem Material	Packing Material	Service
BAL = Trunnion Ball Valve	50 = 1/2"	01 = 150	B = Bolted	02 = A352 LCC	01 = A352 LLC + 410	A = RF x WE	/ = N/A	F = Full Port	/ = N/A	/ = N/A	/ = N/A	/ = N/A	/ = N/A	A = Stem Extension
CEG = Compact Expanding Gate Valve	75 = 3/4"	03 = 300	L = Lug Style	06 = A351 CF8M	02 = A352 LCC + ENP	B = RTJ x WE	B = Bare Stem	R = Reduced Port	3 = 304 Ring	08 = A216 WCB	3 = 316	A = A350 LF2 + ENP	B = Braided Graphoil	C = Cryogenic
DCK = Dual Plate Check Valve	01 = 1"	04 = 400	P = Pressure Seal	08 = A216 WCC	06 = A216 WCC + ENP	D = RF x RTJ	D = Dual Acting Actuator	C = Conventional	4 = 304 / Graphite	09 = A351 CF8M	D = Devlon	B = A105 + ENP	G = Graphite	D = *DPE x DPE
EPG = Expanding Gate Valve	15 = 1-1/2"	06 = 600	S = Seal Weld	10 = A216 WCB	09 = A351 CF8M	E = RTJ x RF	E = Electric Actuator	T = Regular Pattern	6 = 316 / Graphite	11 = CR13 HF	F = PTFE	C = A182 F6a Class 2	T = Teflon	E = External Coating
FBV = Floating Ball Valve	02 = 2"	09 = 900	W = Wafer	11 = A352 LCB	10 = CR13	J = RTJ	G = Gear	U = Short Pattern	A = Aflas	13 = A105 + ENP	G = RTFE - Glass filled	D = 17-4 PH	V = Viton Duck	F = Dampener
FCK = Full Port Swing Check Valve	21 = 2-1/16"	15 = 1500		12 = A350 LF2	11 = CR13 HF	K = WE x RF	H = Handwheel	V = Venturi Pattern	E = EPDM	14 = A105 + HF	H = Hard Face [Stellite 6]	F = A182 F316		H = High Temperature
GAT = Wedge Gate Valve	25 = 2-1/2"	20 = 2000		13 = A105	12 = CR13 HF + HF	L = WE x RTJ	I = Linear Actuator		G = Graphite	15 = A350 LF2 + ENP	N = Nylon	G = A182 F51 Duplex		I = Internal Coating
GLB = Globe Valve	27 = 2-9/16"	25 = 2500		16 = A217 WCB	13 = A105 + ENP	R = RF	L = Lever		H = HNBR	16 = A350 LF2	P = Peek	H = A182 F56 Duplex		J = **SPE x DPE
PCK = Piston Check Valve	03 = 3"	30 = 3000		30 = A29 4130	14 = A694 Gr. F60 + ENP	W = WE			K = FFKM	17 = 17-4 PH	R = RTFE - Carbon Filled	I = Inconel 625		L = Lock Open Device
PLG = Lubricated Plug Valve	31 = 3-1/8"	50 = 5000		36 = A182 316	15 = A350 LF2 + ENP				N = Neoprene	30 = A29 4130		J = 17-4 + QPQ		P = Pipe Pups
PSG = Parallel Slide Gate Valve	37 = 3-9/16"	10 = 10000		51 = A182 F51 Duplex	16 = A216 WCC + 316				T = Teflon	32 = A182 316L + HF				S = Standard Service
RSB = Rising Stem Ball Valve	04 = 4"			55 = A182 F55 Duplex	17 = 17-4 PH				V = Viton A	35 = A182 316/HF				X = Special
SCK = Conv. Port Swing Check Valve	41 = 4-1/16"			87 = A487 4C	20 = Alloy 20				W = Viton B	36 = A182 316				
TCG = Slab Gate Valve	05 = 5"			88 = A890-4A	23 = A182 316L + Stellite 21				X = Viton F	41 = A182 F6a Class 2				
	51 = 5-1/8"				34 = A182 304				Z = Viton GLT	42 = A182 F6a Class 2 + HF				
	06 = 6"				35 = A182 316 HF					51 = F51 Duplex				
	71 = 7-1/16"				36 = A182 316					54 = A182 F51 Duplex + CoCr-A				
	08 = 8"				41 = A182 F6a Class 2					55 = F55 Duplex				
	09 = 9"				42 = A182 F6a + Nitride					91 = A105/HF				
	10 = 10"				51 = A182 F51 Duplex									
	23 = 10-3/8"				52 = A182 F51 Duplex									
	11 = 11"				54 = A182 F51 Duplex + CoCr-A									
	12 = 12"				59 = A352 + ST. 6									
	19 = 12-3/8"				60 = A105 + HF									
	13 = 13-5/8"				61 = A105 + Nitride + HF									
	14 = 14"				69 = A350 LF2 + Tungsten Carbide									
	16 = 16"				73 = A182 410 + Tungsten Carbide									
	17 = 16-3/4"				81 = A350 LF2 + Nitride + HF									
	18 = 18"				85 = A743 CA15 + Nitride									
	20 = 20"				88 = A890-4A									
	22 = 22"				96 = A216 WCB + CR13									

\*DPE x DPE = Double Piston Effect  
 \*\*SPE x DPE = Single Piston Effect x Double Piston Effect

## Sample Figure Numbers & Descriptions

	Figure No.	Chart Column	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	Pressure Classes	Type	Size	Class	Body Conf.	Body	Obturator	End	Oper	Bore Type	Seal	Seat Base	Seat/Insert	Stem	Packing	Service	
TRUNNION BALL	150, 300, 600	BAL	12	06	B	12	15	R	G	F	H	15	D	A	/	S	
	12" 600 Trunnion Ball Valve, Bolted A350 LF2 Body, LF2 + ENP Obturator, RF Ends, Gear Operated, Full Bore, HNBR AED Seals, A350 LF2 + ENP Seat Base Material, Devlon Seat Inserts, A350 LF2 + ENP Stem, Standard Service, API 6D Design and Test, NACE MR-01-75 Compliant																
	900, 1500, 2500	BAL	12	15	B	12	41	J	G	F	H	41	D	C	/	S	
12" 1500 Trunnion Ball Valve, Bolted Configuration, A350 LF2 Body, A182 F6a Class 2 Obturator, RTJ Ends, Gear Operated, Full Bore, HNBR AED Seals, A182 F6a Class 2 Seat Base Material, Devlon Seat Inserts, A182 F6a Class 2 Stem, Standard Service, API 6D Design and Test, NACE MR-01-75 Compliant																	
FLOATING BALL	ALL	FBV	12	01	B	10	36	R	L	F	3	36	R	F	/	S	
	12" 150 Floating Ball Valve, Bolted Configuration, A216 WCB Body, A182 F316 Obturator, RF Ends, Lever Operated, Full Bore, A182 F316 Seat Base Material, Devlon Seat Inserts, A182 F316 Stem, Standard Service, API 608 Design, API 598 Test, NACE MR-01-75 Compliant																
DUAL PLATE WAFER CHECK	ALL	DCK	12	06	W	10	09	R	/	C	/	08	H	/	/	S	
	12" 600 Dual Plate Check Valve, Wafer Configuration, A216 WCB Body, A351 CF8M Obturator, RF Ends, Conventional Bore, A216 WCB Seat Base Material, Hardface Seat Overlay, Standard Service, API 594 Design, API 598 Test, NACE MR-01-75 Compliant																
SLAB GATE	ALL	TCG	12	06	B	08	13	R	B	F	V	13	R	D	V	S	
	12" 600 Thru Conduit Slab Gate Valve, Bolted A216 WCC Body, A105 + ENP Obturator, RF Ends, Bare Stem, Full Bore, Viton AED Seals, A105 + ENP Seat Base Material, RTFE Seat Inserts, 17-4 PH Stem, Viton Duck Packing, Standard Service, API 6D Design and Test, NACE MR-01-75 Compliant																
EXPANDING GATE	ALL	EPG	12	06	B	08	06	R	B	F	V	13	R	D	V	S	
	12" 600 Thru Conduit Expanding Gate Valve, Bolted A216 WCC Body, A216 WCC + ENP Obturator, RF Ends, Bare Stem, Full Bore, Viton AED Seals, A105 + ENP Seat Base Material, RTFE Seat Inserts, 17-4 PH Stem, Viton Duck Packing, Standard Service, API 6D Design and Test, NACE MR-01-75 Compliant																
FULL PORT SWING CHECK	ALL	FCK	12	06	B	08	16	R	/	F	V	11	V	/	/	S	
	12" 600 Full Port Swing Check Valve, Bolted A216 WCC Body, A216 WCC + 316 Obturator, RF Ends, Full Bore, Viton AED Seals, CR13 HF Seat Base Material, Viton Seat Inserts, Standard Service, API 6D Design and Test, NACE MR-01-75 Compliant																
PISTON CHECK	150, 300, 600, 900	PCK	12	06	B	08	61	R	/	C	V	14	H	/	/	S	
	12" 600 Piston Check Valve, Bolted A216 WCC Body, A105 + Nitride + HF Obturator, RF Ends, Conventional Bore, Viton AED Seals, A105 Seat Base Material, Hardface Seat Overlay, Standard Service, API 6D Design and Test, NACE MR-01-75 Compliant																
	1500, 2500	PCK	12	15	B	08	61	R	/	C	V	41	H	/	/	S	
12" 1500 Piston Check Valve, Bolted A216 WCC Body, A105 + Nitride + HF Obturator, RF Ends, Conventional Bore, Viton AED Seals, A182 F6a Class 2 Seat Base Material, Hardface Seat Overlay, Standard Service, API 6D Design and Test, NACE MR-01-75 Compliant																	
LUBRICATED PLUG	ALL	PLG	12	06	B	10	84	R	L	C	V	/	/	/	G	S	
	12" 600 Lubricated Plug Valve, Bolted A216 WCB Body, A743 CA15 Obturator, RF Ends, Lever Operated, Conventional Bore, Viton AED Seals, Standard Service, API 6D Design and Test, NACE MR-01-75 Compliant																
WEDGE GATE	ALL	GAT	12	06	B	10	7	R	H	C	4	14	H	C	G	S	
	12" 600 Wedge Gate Valve, Bolted A216 WCB Body, A216 WCB + Hardface Obturator, RF Ends, Handwheel Operated, Conventional Bore, 304 + Graphite Gasket, A105 Seat Base Material, Hardface Seat Overlay, A182 F6a Class 2 Stem, Graphite Packing, Standard Service, API 600 Design, API 598 Test, NACE MR-01-75 Compliant																
GLOBE	ALL	GLB	12	06	B	10	60	R	H	C	4	14	H	C	G	S	
	12" 600 Globe Valve, Bolted A216 WCB Body, A105 + Hardface Obturator, RF Ends, Handwheel Operated, Conventional Bore, 304 + Graphite Gasket, A105 Seat Base Material, Hardface Seat Overlay, A182 F6a Class 2 Stem, Graphite Packing, Standard Service, API 623 Design, API 598 Test, NACE MR-01-75 Compliant																

Note: Subject to change without notice.  
 Control #: MSF 3.5-16 rev 15